L Number	Hits	Search Text	DB	Time stamp
–	245	(@ad<20000412 or @prad<20000412 or @rlad<20000412) and (370/331.ccls. or 370/332.ccls.) and (base adj station adj controller)	USPAT; US-PGPUB	2004/01/13 14:42
–	62	(@ad<20000412 or @prad<20000412 or @rlad<20000412) and (370/331.ccls. or 370/332.ccls.) and (sequence adj number)	USPAT; US-PGPUB	2004/01/13 11:49
–	0	WO94/32594	EPO; DERWENT	2004/01/13 09:05
–	0	WO9432594	EPO; DERWENT	2004/01/13 09:05
–	0	"9432594"	EPO; DERWENT	2004/01/13 09:06
–	0	"94 32594"	EPO; DERWENT	2004/01/13 09:06
–	18	WO94 "32594"	EPO; DERWENT	2004/01/13 09:11
–	0	WO94 "32594"	JPO	2004/01/13 09:06
–	0	94-32594	EPO; DERWENT	2004/01/13 09:08
–	0	1994-32594	EPO; DERWENT	2004/01/13 09:08
–	8	"32594"	EPO; DERWENT	2004/01/13 09:09
–	2	"1994" and "32594"	EPO; DERWENT	2004/01/13 09:13
–	1	("0032594").PN.	USPAT; US-PGPUB	2004/01/13 09:11
–	0	WO-94032594-$.did.	EPO; JPO; DERWENT	2004/01/13 09:13
–	0	WO-1994032594-$.did.	EPO; JPO; DERWENT	2004/01/13 09:14
–	0	WO-9432594-$.did.	EPO; JPO; DERWENT	2004/01/13 09:14
–	0	WO-199432594-$.did.	EPO; JPO; DERWENT	2004/01/13 09:18
–	2	WO-9532594-$.did.	EPO; JPO; DERWENT	2004/01/13 09:18
–	0	"2001/0043581".PN.	USPAT	2004/01/13 10:10
–	0	"2001/0043581".PN.	USPAT	2004/01/13 10:12
–	0	"2001/0043581".PN.	USPAT	2004/01/13 10:12
–	0	"2002/0067706".PN.	USPAT	2004/01/13 10:12
–	0	"2001/0043581".PN.	USPAT	2004/01/13 10:12
–	0	"2001/0043581".PN.	USPAT	2004/01/13 10:13
–	0	"2001/0043581".PN.	USPAT	2004/01/13 10:13
–	1	2001/0043581	USPAT; US-PGPUB	2004/01/13 10:13
–	2	2002/0067706	USPAT; US-PGPUB	2004/01/13 10:13
–	1	"6434367".PN.	USPAT	2004/01/13 10:29
–	1	"6389039".PN.	USPAT	2004/01/13 10:29
–	1	"6389039".PN.	USPAT	2004/01/13 10:51
–	1	"6351651".PN.	USPAT	2004/01/13 10:51
–	1	"6341124".PN.	USPAT	2004/01/13 10:52
–	1	"6314562".PN.	USPAT	2004/01/13 10:56
–	1	"6259683".PN.	USPAT	2004/01/13 10:57
–	1	"6216019".PN.	USPAT	2004/01/13 10:58
–	1	"6181683".PN.	USPAT	2004/01/13 10:58
–	1	"6163707".PN.	USPAT	2004/01/13 10:59
–	1	"6154659".PN.	USPAT	2004/01/13 10:59
–	1	"6072790".PN.	USPAT	2004/01/13 10:59
–	1	"6069883".PN.	USPAT	2004/01/13 11:17
–	54	(@ad<20000412 or @prad<20000412 or @rlad<20000412) and (455/436.ccls. or 455/437.ccls. or 455/438.ccls. or 455/439.ccls. or 455/442.ccls. or 455/448.ccls.) and (sequence adj number)	USPAT; US-PGPUB	2004/01/13 11:51
–	0	(@ad<20000412 or @prad<20000412 or @rlad<20000412) and (370/331.ccls. or 370/332.ccls.) and (link adj layer adj buffer$3)	USPAT; US-PGPUB	2004/01/13 14:41

–	4	(@ad<20000412 or @prad<20000412 or @rlad<20000412) and (link adj layer adj buffer$3)	USPAT; US-PGPUB	2004/01/13 14:41
–	0	(@ad<20000412 or @prad<20000412 or @rlad<20000412) and (distributed adj link adj layer)	USPAT; US-PGPUB	2004/01/13 14:41
–	42	(@ad<20000412 or @prad<20000412 or @rlad<20000412) and (370/331.ccls. or 370/332.ccls.) and (link adj layer)	USPAT; US-PGPUB	2004/06/28 08:47
–	11	(@ad<20000412 or @prad<20000412 or @rlad<20000412) and (370/331.ccls. or 370/332.ccls.) and (link adj layer) and buffer	USPAT; US-PGPUB	2004/01/13 14:43
–	3	(@ad<20000412 or @prad<20000412 or @rlad<20000412) and (370/331.ccls. or 370/332.ccls.) and (link adj layer) same buffer	USPAT; US-PGPUB	2004/01/13 14:43
–	0	(@ad<20000412 or @rlad<20000412) and (370/331.ccls. or 370/332.ccls.) and (sequence adj number with threshold)	USPAT; US-PGPUB	2004/06/28 08:48
–	97	(@ad<20000412 or @rlad<20000412) and (sequence adj number with threshold)	USPAT; US-PGPUB	2004/06/28 08:48
–	9	(@ad<20000412 or @rlad<20000412) and (sequence adj number with threshold) and (base adj station)	USPAT; US-PGPUB	2004/06/28 08:52
–	322555	(@ad<20000412 or @rlad<20000412) and (sequence adj number with (exceed or greater)) same base station	USPAT; US-PGPUB	2004/06/28 08:52
–	6	(@ad<20000412 or @rlad<20000412) and (sequence adj number with (exceed or greater)) same (base adj station)	USPAT; US-PGPUB	2004/06/28 08:53
–	10	(@ad<20000412 or @rlad<20000412) and (sequence adj number with (exceed or greater)) same handoff	USPAT; US-PGPUB	2004/06/28 09:00
–	3	(@ad<20000412 or @rlad<20000412) and ((packet or frame or data) adj number with (threshold)) same (base adj station)	USPAT; US-PGPUB	2004/06/28 09:02
–	5	(@ad<20000412 or @rlad<20000412) and ((packet or frame or data) adj number with (exceed or greater)) same (base adj station)	USPAT; US-PGPUB	2004/06/28 09:05
–	0	(@ad<20000412 or @rlad<20000412) and (central adj buffer) same (download) same (data or frame) same (base station) same queue	USPAT; US-PGPUB	2004/06/28 09:05
–	0	(@ad<20000412 or @rlad<20000412) and (central adj buffer) same (download) same (data or frame) same (base station)	USPAT; US-PGPUB	2004/06/28 09:06
–	191	(@ad<20000412 or @rlad<20000412) and (controller) same (download) same (data or frame) same (base station)	USPAT; US-PGPUB	2004/06/28 09:06
–	4	(@ad<20000412 or @rlad<20000412) and (base adj station adj controller) same (download) same (data or frame) same (base station)	USPAT; US-PGPUB	2004/06/28 09:08
–	2	(@ad<20000412 or @rlad<20000412) and (base adj station adj controller) same (download) same (block) same (base station)	USPAT; US-PGPUB	2004/06/28 09:19
–	21	(@ad<20000412 or @rlad<20000412) and (base adj station adj controller) same (queue) same (data) same (base station)	USPAT; US-PGPUB	2004/06/28 09:47
–	322536	(@ad<20000412 or @rlad<20000412) and ((download) with blocks with (sequence adj number)) and base station	USPAT; US-PGPUB	2004/06/28 09:48
–	0	(@ad<20000412 or @rlad<20000412) and ((download) with blocks with (sequence adj number)) and (base adj station)	USPAT; US-PGPUB	2004/06/28 09:48
–	0	(@ad<20000412 or @rlad<20000412) and ((download) same blocks same (sequence adj number)) and (base adj station)	USPAT; US-PGPUB	2004/06/28 09:48

–	3	(@ad<20000412 or @rlad<20000412) and ((queue) same blocks same (sequence adj number)) and (base adj station)	USPAT; US-PGPUB	2004/06/28 09:50
–	2	(@ad<20000412 or @rlad<20000412) and ((load) same blocks same (sequence adj number)) and (base adj station)	USPAT; US-PGPUB	2004/06/28 09:51
–	43	(@ad<20000412 or @rlad<20000412) and ((load or queue or download or transfer) same packets same (sequence adj number)) and (base adj station)	USPAT; US-PGPUB	2004/06/28 09:52
–	22	(@ad<20000412 or @rlad<20000412) and ((load or queue or download or transfer) same packets same (sequence adj number) same (queue or buffer or memory)) and (base adj station)	USPAT; US-PGPUB	2004/06/28 10:26
–	136	(@ad<20000412 or @rlad<20000412) and (sliding adj window adj protocol)	USPAT; US-PGPUB	2004/06/28 10:26
–	66	(@ad<20000412 or @rlad<20000412) and (sliding adj window adj protocol) and (flow adj control)	USPAT; US-PGPUB	2004/06/28 10:26
–	322555	(@ad<20000412 or @rlad<20000412) and (sliding adj window adj protocol) and (flow adj control) and base station	USPAT; US-PGPUB	2004/06/28 10:27
–	4	(@ad<20000412 or @rlad<20000412) and (sliding adj window adj protocol) and (flow adj control) and (base adj station)	USPAT; US-PGPUB	2004/06/28 10:29
–	66	(@ad<20000412 or @rlad<20000412) and (sliding adj window adj protocol) and (flow adj control) and (sequence number)	USPAT; US-PGPUB	2004/06/28 10:30
–	6	(@ad<20000412 or @rlad<20000412) and (sliding adj window adj protocol) and (flow adj control) and (sequence number) and (455/$.ccls. or 370/310-350.ccls.)	USPAT; US-PGPUB	2004/06/28 10:33
–	5	(@ad<20000412 or @rlad<20000412) and (sliding adj window adj protocol) and (flow adj control) and (sequence adj number) and (455/$.ccls. or 370/310-350.ccls.)	USPAT; US-PGPUB	2004/06/28 10:59
–	25	(@ad<20000412 or @rlad<20000412) and ((base adj station) or BS or BTS) same ((base adj station adj controller) or BSC) same (sequence adj number)	USPAT; US-PGPUB	2004/06/28 10:40
–	62909	(@ad<20000412 or @rlad<20000412) and (sliding adj window adj protocol) and (sequence adj number) and ((base adj station) or BTS) and ((base adj station adj controller) or BSC) (455/$.ccls. or 370/310-350.ccls.)	USPAT; US-PGPUB	2004/06/28 11:01
–	104	(@ad<20000412 or @rlad<20000412) and (sliding adj window adj protocol) and (sequence adj number)	USPAT; US-PGPUB	2004/06/28 11:01
–	5	(@ad<20000412 or @rlad<20000412) and (sliding adj window adj protocol) and (sequence adj number) and (base adj station)	USPAT; US-PGPUB	2004/06/28 11:23
–	2	(@ad<20000412 or @rlad<20000412) and ("1xEV-DO") and (base adj station)	USPAT; US-PGPUB	2004/06/28 11:27
–	0	(@ad<20000412 or @rlad<20000412) and (High adj Speed adj Downlink adj Packet adj Access adj standard) and (base adj station)	USPAT; US-PGPUB	2004/06/28 11:27
–	1	(@ad<20000412 or @rlad<20000412) and (High adj Speed adj Downlink adj Packet adj Access) and (base adj station)	USPAT; US-PGPUB	2004/06/28 11:28
–	1	(@ad<20000412 or @rlad<20000412) and (High adj Speed adj Downlink adj Packet adj Access)	USPAT; US-PGPUB	2004/06/28 11:28
–	1	(@ad<20000412 or @rlad<20000412) and (High with Speed with Downlink with Packet with Access)	USPAT; US-PGPUB	2004/06/28 11:28

-	0	(@ad<20000412 or @rlad<20000412) and ("High-Speed" with Downlink with Packet with Access)	USPAT; US-PGPUB	2004/06/28 11:29
-	4	(@ad<20000412 or @rlad<20000412) and (high with speed with downlink with packet)	USPAT; US-PGPUB	2004/06/28 11:31
-	2	high adj speed adj downlink adj packet adj access adj standard	USPAT; US-PGPUB	2004/06/28 11:31
-	5	(@ad<20000412 or @rlad<20000412) and (HSDPA)	USPAT; US-PGPUB	2004/06/28 11:31